

Telephone: (650) 697-3600

## **GOAT ANTI-CLLD8 / SETDB2 ANTIBODY**

**SKU:** EB05724



Telephone: (650) 697-3600

250kDa 150kDa 100kDa

75kDa


50kDa

37kDa

25kDa

20kDa

15kDa





Telephone: (650) 697-3600

## **SPECIFICATIONS**

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

**Unit Size** 100 μg

Storage

Aliquot and store at -20°C. Minimize freezing and thawing.

histone-lysine N-methyltransferase SETDB2|lysine N-methyltransferase 1F|chronic lymphocytic leukemia Synonym / deletion region 8|KMT1F|DKFZp761J1217|DKFZp586I0123|CLLL8|C13orf4|CLLL8 protein|SET domain, bifurcated

Names

2|CLLD8|SETDB2

**Accession** ID

**Alias** 

NP\_114121.2; NP\_001153780.1

**Blocking** 

EBP05724 **Peptide** 

**Immunogen** 

Peptide with sequence GEKNGDAKTFWME-C, from the N Terminus of the protein sequence according to

NP\_114121.2; NP\_001153780.1.

**Product** 

This antibody is expected to recognize both reported isoforms (NP 114121.2; NP 001153780.1).

**Comments Peptide** 

Sequence

**GEKNGDAKTFWME-C** 

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Refrigerated Instructions

**Predicted** 

Human, Mouse, Rat, Dog, Pig, Cow

**Species** Reactive

Human **Species** 

Human

83852

Gene ID

**Product** 

Grade

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite medium.png

**ELISA** 

**Detection** 

Antibody detection limit dilution 1:1000.

Limit

Western Approx 85kDa band observed in nuclear lysates of cell line HeLa (calculated MW of 81.9kDa according to

NP\_114121.2). Recommended concentration: 1-3µg/ml. Primary incubation was 1 hour. Blot

**Application** 

Pep-ELISA, WB Type

## **DOCUMENTS**

Data Sheet



Telephone: (650) 697-3600

## **GALLERY IMAGES**



Telephone: (650) 697-3600

250kDa 150kDa 100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa