

GOAT ANTI-DKK3 / REIC ANTIBODY

SKU: EB05361

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

SPECIFICATIONS

Formulation	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
Unit Size	100 µg
Storage Instructions	Aliquot and store at -20°C. Minimize freezing and thawing.
Synonym / Alias Names	regulated in glioma RIG dickkopf homolog 3 dickkopf (Xenopus laevis) homolog 3 Dickkopf gene 3 dickkopf 3 RIG-like 7-1 RIG-like 5-6 DKK-3 dickkopf homolog 3 (Xenopus laevis) REIC DKK3
Accession ID	NP_037385.2; NP_056965.3; NP_001018067.1
Blocking Peptide	EBP05361
Immunogen	Peptide with sequence C-AAAALLGGEEI, from the C Terminus of the protein sequence according to NP_037385.2; NP_056965.3; NP_001018067.1.
Product Comments	NP_037385.2; NP_056965.3 and NP_001018067.1 are variants of the same protein.
Peptide Sequence	C-AAAALLGGEEI
Purification Method	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Shipping Instructions	Refrigerated
Predicted Species	Human
Reactive Species	Human
Human Gene ID	27122
Product Grade	https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png
ELISA Detection Limit	Antibody detection limit dilution 1:16000.
Western Blot	Approx 38kDa band observed in Human Brain (Cerebellum) lysates (calculated MW of 38.4kDa according to NP_037385.2). Recommended concentration: 1-3µg/ml. Primary incubation 1 hour at room temperature.
Application Type	Pep-ELISA, WB

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

