



Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

GOAT ANTI-EMI2 ANTIBODY

SKU: EB06061



Telephone: (650) 697-3600



250kDa 150kDa 100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa





Telephone: (650) 697-3600

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 μg

Storage

Instructions Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

ERP1|early mitotic inhibitor 2|Fbx43|F-box protein 43|EMI2|FBXO43

Alias Names

ID

Accession

NP_001025031.2

Blocking

EBP06061 **Peptide**

Peptide with sequence C-PGSAQSKRNLKRL, from the C Terminus of the protein sequence according to **Immunogen**

NP_001025031.2.

Peptide

C-PGSAQSKRNLKRL Sequence

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Refrigerated Instructions

Predicted

Human, Mouse, Rat, Dog, Pig, Cow **Species**

Reactive

Mouse **Species**

Human

286151 Gene ID

Mouse

78803 Gene ID

Rat Gene ID 315034

Product

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png

Grade ELISA

Detection Antibody detection limit dilution 1:32000.

Limit

Western

Approx 80kDa band observed in Mouse Ovary lysates (calculated MW of 78.4kDa according to

NP_001025031.2). Recommended concentration: 0.3-1µg/ml. Primary incubation was 1 hour. Preliminary **Blot**

testing was unsuccessful on Human, Rat and Pig Testis, and Human Ovary for this particular batch.

Application

Pep-ELISA, WB **Type**





Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

SELECTED REFERENCES

[{"pmid": 22302686, "intro": "This antibody (previous batch) has been successfully used in Western blot on Mouse:", "title": "A zinc-dependent mechanism regulates meiotic progression in mammalian oocytes.", "author": "Bernhardt ML, Kong BY, Kim AM, O'Halloran TV, Woodruff TK.", "journal": "Biol Reprod. 2012 Apr 19;86(4):114."}, {"pmid": 27605379, "intro": "This antibody (previous batch) has been successfully used in Western blot on Mouse:", "title":

"The BTG4 and CAF1 complex prevents the spontaneous activation of eggs by deadenylating m aternal mRNAs.", "author": "Pasternak M, Pfender S, Santhanam B, Schuh M", "journal": "Open Biol. 2016 Sep;6(9)"}, {"pmid": 19802389, "intro": "**This antibody (previous batch) has been successfully used in Western blot, Immunocytochemistry and Flow Cytometry on Rat:**", "title": "Cytostatic Factor Proteins Are Present in Male Meiotic Cells and ?-Nerve Growth Factor Increases Mos Levels in Rat Late Spermatocytes.", "author": "Perrard MH, Chassaing E, Montillet G, Sabido O, Durand P.", "journal": "PLoS One. 2009 Oct 5;4(10):e7237."}]

DOCUMENTS

Data Sheet

GALLERY IMAGES



Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

250kDa 150kDa 100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa