



www.everestbiotech.com

Email: customerservice@vectorlabs.com

Telephone: [\(650\) 697-3600](tel:(650)697-3600)

GOAT ANTI-FRIZZLED 4 ANTIBODY

SKU: EB08356





SPECIFICATIONS

Formulation	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
Unit Size	100 µg
Storage Instructions	Aliquot and store at -20°C. Minimize freezing and thawing.
Synonym / Alias Names	frizzled 4 exudative vitreoretinopathy 1 (autosomal dominant Criswick-Schepens syndrome) WNT receptor frizzled-4 MGC34390 GPCR FzE4 Fz-4 FZD4S FEVR EVR1 FZD4 frizzled homolog 4 (Drosophila) Frizzled 4
Accession ID	NP_036325.2
Blocking Peptide	EBP08356
Immunogen	Peptide with sequence DEEERRCDPIRIS, from the internal region of the protein sequence according to NP_036325.2.
Peptide Sequence	DEEERRCDPIRIS
Purification Method	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Shipping Instructions	Refrigerated
Predicted Species	Human, Rat
Reactive Species	Human
Human Gene ID	8322
Rat Gene ID	64558
Product Grade	https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png
ELISA Detection Limit	Antibody detection limit dilution 1:16000.
Western Blot	Approx 60kDa band observed in Human Colon and Small Intestine (Ileum) lysates (calculated MW of 59.9kDa according to NP_036325.2). Recommended concentration: 0.3-1µg/ml.
Application Type	Pep-ELISA, WB

DOCUMENTS

- [Data Sheet](#)



GALLERY IMAGES

