


Email: <a href="mailto:customerservice@vectorlabs.com">customerservice@vectorlabs.com</a>

Telephone: (650) 697-3600

## **GOAT ANTI-KIT / CD117 ANTIBODY**

**SKU:** EB12145



## **SPECIFICATIONS**

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

**Unit Size** 100 μg

Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym / Alias

soluble KIT varian| proto-oncogene tyrosine-protein kinase Kit| proto-oncogene c-Kit| piebald trait protein| p145 ckit| mast/stem cell growth factor receptor Kit| SCFR| PBT| CD117| C-Kit| v-kit Hardy-Zuckerman 4 feline sarcoma

Names viral oncogene homolog|KIT

Usage Summary

<strong>Immunofluorescence:</strong> Strong expression of the protein seen in the cytoplasm/ membranes of HEK293 and HeLa cells. Recommended concentration: 10μg/ml. ><strong>Flow Cytometry:</strong> Flow

cytometric analysis of MCF7 cells. Recommended concentration: 10ug/ml.

Accession

NP\_000213.1; NP\_001087241.1

**Blocking Peptide** 

EBP12145





Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

Peptide with sequence KRDSFICSKQEDH, from the internal region of the protein sequence according to **Immunogen** 

NP\_000213.1; NP\_001087241.1.

**Product** This antibody is expected to recognize both reported isoforms (NP\_000213.1; NP\_001087241.1). Comments

**Peptide** KRDSFICSKQEDH Sequence

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using

Method the immunizing peptide.

**Shipping** Refrigerated Instructions

**Predicted** 

Human, Dog, Pig, Cow **Species** 

Reactive Human **Species** 

Human 3815 Gene ID

**Product**  $https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite\_plus\_medium.png$ Grade

 $\textbf{IHC Results} \ \ \text{Paraffin embedded Human Prostate}. \ \text{Recommended concentration: } 10 \mu g/\text{ml}.$ 

**ELISA** 

Antibody detection limit dilution 1:128000. Detection

Limit

Blot

Western

Approx 110kDa band observed in Human Brain (Hippocampus) lysates (calculated MW of 110kDa according to NP\_000213.1). An additional band of unknown identity was also consistently observed at 35kDa. This band was

successfully blocked by incubation with the immunizing peptide. Recommended concentration: 1-3µg/ml. Primary incubation 1 hour at room temperature.

Application

Pep-ELISA, WB, IF, IHC, FC Type

## **DOCUMENTS**

Data Sheet

## **GALLERY IMAGES**



Telephone: (650) 697-3600



