




# GOAT ANTI-MEPCE ANTIBODY

SKU: EB08073



## SPECIFICATIONS

**Formulation** Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

**Unit Size** 100 µg

**Storage Instructions** Aliquot and store at -20°C. Minimize freezing and thawing.

**Synonym / Alias Names** bin3, bicoid-interacting 3, homolog|bin3, bicoid-interacting 3|FLJ20257|BCDIN3|methylphosphate capping enzyme|MEPCE

**Accession ID** NP\_062552.2

**Blocking Peptide** EBP08073

**Immunogen** Peptide with sequence KQQRKFQYGN YCK, from the internal region of the protein sequence according to NP\_062552.2.

**Peptide Sequence** KQQRKFQYGN YCK

**Purification Method** Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

**Shipping Instructions** Refrigerated



<b>Predicted Species</b>	Human, Mouse, Rat
<b>Reactive Species</b>	Human, Rat
<b>Human Gene ID</b>	56257
<b>Product Grade</b>	<a href="https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png">https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png</a>
<b>IHC Results</b>	In paraffin embedded Human Testis shows staining of the spermatids. Recommended concentration: 5-10µg/ml.
<b>ELISA Detection Limit</b>	Antibody detection limit dilution 1:2000.
<b>Western Blot</b>	Approx. 75kDa band observed in Rat Testis lysates (calculated MW of 74.4kDa according to Human NP_062552.2 and 75.3kDa according to Rat XP_222048.4). Recommended concentration: 1-3µg/ml. Primary incubation was 1 hour. Preliminary testing was unsuccessful on Human for this particular batch.
<b>Application Type</b>	Pep-ELISA, WB, IHC

## DOCUMENTS

- [Data Sheet](#)

## GALLERY IMAGES



[www.everestbiotech.com](http://www.everestbiotech.com)

Email: [customerservice@vectorlabs.com](mailto:customerservice@vectorlabs.com)

Telephone: (650) 697-3600

