

# GOAT ANTI-PERP ANTIBODY

**SKU:** EB07234

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

## SPECIFICATIONS

<b>Formulation</b>	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
<b>Unit Size</b>	100 µg
<b>Storage Instructions</b>	Aliquot and store at -20°C. Minimize freezing and thawing.
<b>Synonym / Alias Names</b>	p53-induced protein PIGPC1 keratinocytes associated protein 1 RP3-496H19.1 1110017A08Rik dj496H19.1 THW PIGPC1 KRTCAP1 KCP1 HGNC:17637 PERP, TP53 apoptosis effector PERP
<b>Accession ID</b>	NP_071404.2
<b>Blocking Peptide</b>	EBP07234
<b>Immunogen</b>	Peptide with sequence CLPNYEDDLLGNAK, from the C Terminus of the protein sequence according to NP_071404.2.
<b>Peptide Sequence</b>	CLPNYEDDLLGNAK
<b>Purification Method</b>	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
<b>Shipping Instructions</b>	Refrigerated
<b>Predicted Species</b>	Human, Mouse, Rat, Dog
<b>Reactive Species</b>	Human
<b>Human Gene ID</b>	64065
<b>Mouse Gene ID</b>	64058
<b>Rat Gene ID</b>	292949
<b>Product Grade</b>	<a href="https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png">https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png</a>
<b>IHC Results</b>	Paraffin embedded Human Skin. Recommended concentration: 5µg/ml.
<b>ELISA Detection Limit</b>	Antibody detection limit dilution 1:64000.
<b>Western Blot</b>	Approx 20kDa band observed in Human Liver lysates (calculated MW of 21.4kDa according to NP_071404.2). Recommended concentration: 1-3µg/ml.
<b>Application Type</b>	Pep-ELISA, WB, IHC

## DOCUMENTS

- [Data Sheet](#)

## GALLERY IMAGES

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

