

GOAT ANTI-RAB8A ANTIBODY

SKU: EB08311



250kDa
150kDa
100kDa
75kDa

50kDa

37kDa

25kDa
20kDa

15kDa

SPECIFICATIONS

| | |
|------------------------------|---|
| Formulation | Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin. |
| Unit Size | 100 µg |
| Storage Instructions | Aliquot and store at -20°C. Minimize freezing and thawing. |
| Synonym / Alias Names | ras-associated protein RAB8 mel transforming oncogene (derived from cell line NK14)- RAB8 homolog mel transforming oncogene (derived from cell line NK14) mel transforming oncogene (RAB8 homolog) mel transforming oncogene RAB8 MEL RAB8A, member RAS oncogene family RAB8A |
| Accession ID | NP_005361.2 |
| Blocking Peptide | EBP08311 |
| Immunogen | Peptide with sequence C-NQGVKITPDQQR, from the C Terminus of the protein sequence according to NP_005361.2. |
| Peptide Sequence | C-NQGVKITPDQQR |
| Purification Method | Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide. |
| Shipping Instructions | Refrigerated |
| Predicted Species | Human, Dog, Cow |
| Reactive Species | Human |
| Human Gene ID | 4218 |
| Product Grade | https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png |
| ELISA | |
| Detection Limit | Antibody detection limit dilution 1:32000. |
| Western Blot | Approx 25kDa band observed in Human Brain (Cerebellum), Kidney and Heart lysates (calculated MW of 23.7kDa according to NP_005361.2). Recommended concentration: 0.1-0.3µg/ml. |
| Application Type | Pep-ELISA, WB |

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

