

GOAT ANTI-SFRP4 ANTIBODY

SKU: EB09115

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 µg

Storage Instructions Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

Alias Names secreted frizzled-related protein 4|MGC26498|FRPHE|FRP-4|secreted frizzled-related protein 4|SFRP4

Accession ID NP_003005.2

Blocking Peptide EBP09115

Immunogen Peptide with sequence TNSSCQCPHILPHQD, from the internal region of the protein sequence according to NP_003005.2.

Peptide Sequence TNSSCQCPHILPHQD

Purification Method Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Shipping Instructions Refrigerated

Predicted Species Human, Mouse, Rat, Cow, Pig

Reactive Species Human

Human Gene ID 6424

Mouse Gene ID 20379

Rat Gene ID 89803

Product Grade https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png

IHC Results In paraffin embedded Human Uterus shows granular staining in the apical cytoplasm of the endometrial gland. Recommended concentration, 2-4µg/ml.

ELISA

Detection Limit Antibody detection limit dilution 1:32000.

Western Blot Approx 40kDa band observed in Human Uterus lysates (calculated MW of 39.8kDa according to NP_003005.2). Recommended concentration: 1-3µg/ml.

Application Type Pep-ELISA, WB, IHC

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

