




# GOAT ANTI-STUB1 / CHIP ANTIBODY

SKU: EB05327



---

## SPECIFICATIONS

**Formulation** Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

**Unit Size** 100 µg

**Storage Instructions** Aliquot and store at -20°C. Minimize freezing and thawing.

**Synonym / Alias Names** UBOX1|LA16c-313D11.6|heat shock protein A binding protein 2 (c-terminal)|carboxy terminus of Hsp70p-interacting protein|serologically defined colon cancer antigen 7|SDCCAG7|NY-CO-7|HSPABP2|STIP1 homology and U-Box containing protein 1|CHIP|STUB1

**Accession ID** NP\_005852.2

**Blocking Peptide** EBP05327

**Immunogen** Peptide with sequence C-DAFISENGWVEDY, from the C Terminus of the protein sequence according to NP\_005852.2.

**Peptide Sequence** C-DAFISENGWVEDY

**Purification Method** Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

**Shipping Instructions** Refrigerated



<b>Predicted Species</b>	Human, Mouse, Rat, Dog, Cow
<b>Reactive Species</b>	Human
<b>Human Gene ID</b>	10273
<b>Product Grade</b>	<a href="https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png">https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png</a>
<b>IHC Results</b>	Paraffin embedded Human Kidney. Recommended concentration: 5-6µg/ml.
<b>ELISA Detection Limit</b>	Antibody detection limit dilution 1:64000.
<b>Western Blot</b>	Approx 35kDa band observed in Human Muscle lysates (calculated MW of 34.9kDa according to NP_005852.2). Recommended concentration: 0.3-1µg/ml. Primary incubation was for 1 hour.
<b>Application Type</b>	Pep-ELISA, WB, IHC

## DOCUMENTS

- [Data Sheet](#)

## GALLERY IMAGES

