




www.everestbiotech.com

Email: customerservice@vectorlabs.com

Telephone: [\(650\) 697-3600](tel:(650)697-3600)

GOAT ANTI-TRIM2 ANTIBODY

SKU: EB05914





SPECIFICATIONS

| | |
|------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Formulation | Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin. |
| Unit Size | 100 µg |
| Storage | |
| Instructions | Aliquot and store at -20°C. Minimize freezing and thawing. |
| Synonym / Alias Names | tripartite motif protein TRIM2 RNF86 tripartite motif protein TRIM2 tripartite motif protein 2 KIAA0517 tripartite motif-containing 2 TRIM2 |
| Usage Summary | Flow Cytometry: Flow cytometric analysis of Jurkat cells. Recommended concentration: 10ug/ml. |
| Accession ID | NP_056086.2; NP_001123539.1; NP_001337983.1; NP_001337984.1; NP_001337985.1; NP_001337986.1 |
| Blocking Peptide | EBP05914 |
| Immunogen | Peptide with sequence DSGNHCFKVYRYLQ, from the C Terminus of the protein sequence according to NP_056086.2; NP_001123539.1; NP_001337983.1; NP_001337984.1; NP_001337985.1; NP_001337986.1. |
| Product Comments | Cross-reactivity with TRIM3 has been demonstrated in Mouse. |
| Peptide Sequence | DSGNHCFKVYRYLQ |
| Purification Method | Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide. |
| Shipping Instructions | Refrigerated |
| Predicted Species | Human, Mouse, Rat, Dog, Cow |
| Reactive Species | Human, Rat |
| Human Gene ID | 23321 |
| Mouse Gene ID | 80890 |
| Product Grade | https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_plus_medium.png |
| IHC Results | In paraffin embedded Human Brain (Cortex) shows cytoplasm staining in neuronal cell bodies. Recommended concentration: 6-12µg/ml. |
| ELISA Detection Limit | Antibody detection limit dilution 1:16000. |
| Western Blot | Approx 75-85kDa band observed in Rat Brain lysates (calculated MW of 83.3 according to Rat NP_001102022.1). An additional band of unknown identity was also consistently observed at 30kDa. This band was successfully blocked by incubation with the immunizing peptide. Recommended concentration: 0.5-1µg/ml. Primary incubation 1 hour at room temperature. |



Application Type Pep-ELISA, WB, IHC, FC

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

